

InterGlide

Designed to Deliver

A leading provider of retail marketing solutions

*"We design, make, procure, sell, manage and supply the products
that sell your products"*

SPOSgroup

Heard & Creative

spos


posm
solutions

Disclaimer:


The information in this catalogue is the intellectual property of SPOS Group and is confidential, and intended solely for the Addressee. If you have received this information in error, please delete it immediately and notify the sender. Any copying or further distribution beyond the original addressee is not permitted, and may be unlawful. In receiving this information you agree that any intellectual property rights in the POP Goods, Services or Concepts contained within are and shall remain the property of SPOS.

Easy Installation - no tools required


- **Gentle fronting motion- Drives Sales!**
- Controlled feed for multiple categories
- Fast and simple replenishment- Saves Labour!
- Modular lane assembly- complete flexibility on width
- Depth versatility from 350mm to 600mm



1.5mm divider, no loss of facings



Fast planogram reset
Front engagement only




4081-YZCN



4082-YZCN



4083-YZCN



4084-YZCN



4077-YZC



4078-YZC



4050-XY



4040-60-C-001-MT



4041-X-C-001-MT



4040-60-C-002-HOL



4041-X-C-002-HOL



4037-XC



4170



4711




4712




4713






- Front rail needed to secure pusher.
- Variations available with or without PMMA slot.
- In addition, either with or without TEGO "J" channel, depending on shelf.
- Foam tape (FT), Magnetic tape (MT) or Holes (HOL) can be requested.
- Should holes be needed, one of the 4 pins are needed for a successful installation.
- Optional one piece PMMA retainer or individual "T-retainers."




Recommended front attachment
001 only for TEGO shelving
002 all non - TEGO shelving



- Horizontal installation, slide on.
- Connecting function, clip on (bottom to top) as seen below to connect two housings and allow a centralised pusher force.
- Ideal for large products.



4037-WHT



4037-BLK




Incremental adjustments possible


A




B



- 1.5mm divider resulting in no loss of facings.
- Easily removable and interchangeable dividers.
- Depth to range from 350–600mm.




Standard height of PMMA divider 50mm
Other heights available on request
Crimping option available




- Option to install as single lanes or connect into one piece shelf prior to installation

- Centralized pusher meaning lanes are consistent and parallel



Spring/N



• Spring Strength vs Shelf Item Application

A- i.e. used for medicine boxes & small beauty products

B- i.e. used for medicine & vitamin jars

C- i.e. used for cough syrup and hand soaps

D- i.e. used for cans, PET bottles & cleaning equipment

E- i.e. used for wine boxes or bed sheets

Total Newton strength can be used for heavy items such as bed sheets and carton boxes.
The paddle extender can connect two housings (double push) to increase strength.

Shelf depth/mm